


The Scale of the Universe:


How Big, How Far, How Long Ago

- Cosmic sizes and distances defy everyday human intuition
- Scientific notation and orders of magnitude are essential tools
- Roadmap: sizes, distances, timescales, and measurement techniques
- Learn to compare cosmic distances and build accurate scale models
- Distinguish look-back time from an object's current distance




Orders of Magnitude: The Language of Cosmic Size

- - Powers of ten and logarithmic thinking as tools for spanning atomic to cosmic scales
- - A ladder of familiar sizes: atoms to planets to illustrate exponential jumps
- - Why linear number lines break down beyond everyday experience



Inside the Solar System: A First Cosmological Laboratory

- ✦ Distances measured in astronomical units (AU) and light travel time
- ✦ Real spacing: Neptune is 30 AU away, not just 'far'
- ✦ Planet sizes vary wildly: Jupiter is 11 times wider than Earth
- ✦ Classroom diagrams rarely hold true to both size and distance




Light Travel Time and Look-Back Time

- Light travel time measures distance, not a time machine.
- We see distant objects as they were in the past.
- A light-year: how far light travels in one year.
- Solar system distances are light-minutes to light-hours.
- Distant galaxies are seen as they were billions of years ago.




The Milky Way: Our Galactic Neighborhood

- Scale jumps from nearby stars to the vast galactic disk
- Contains an estimated 100–400 billion stars
- D25 isophotal diameter: about 87,400 light-years
- The Sun lies roughly 27,000 light-years from the center
- Solar system completes one galactic orbit in about 212 million years




The Local Group and Andromeda

- Andromeda is about 2.5 million light-years from Earth
- It is the nearest major galaxy to the Milky Way
- Andromeda has roughly 1 trillion stars; the Milky Way has about 100–400 billion
- Andromeda appears larger: about 152,000 light-years across
- The Milky Way and Andromeda are approaching at about 110 km/s
- A future merger may occur in roughly 4 billion years



Galaxies, Clusters, and the Cosmic Web

- Galaxies are building blocks of larger cosmic structures
- Clusters group dozens to thousands of galaxies by gravity
- Superclusters form from connected clusters and filaments
- The cosmic web links filaments, walls, and vast voids
- Velocity-field mapping reveals basins of attraction and flows



Superclusters and Laniakea

- Laniakea: our home supercluster, millions of light-years across
- Defined by galaxy flows toward a common gravitational basin
- Contains the Great Attractor at its core
- New surveys refine boundaries, shapes, and hidden structures
- Observed superclusters can exceed model expectations in size




The Observable Universe and Its Horizon



- Comoving distance is current separation after expansion.
- Light travel distance is photon journey time times light speed.
- Current observable diameter: about 93 billion light-years.
- Particle horizon bounds signals reachable since the Big Bang.
- Horizon is not a physical edge but a causal limit.


Cosmic Time:

From the Big Bang to Today



- - Universe's age is 13.8 billion years (Planck 2018 estimate)
- - Inflation occurred within a fraction of a second after the Big Bang
- - Cosmic microwave background formed around 380,000 years after the Big Bang
- - First stars ignited roughly 200-400 million years later
- - Expansion links redshift, distance, and cosmic history

Measuring the Unmeasurable: Techniques and Evidence



- ★ Parallax anchors distances to nearby stars geometrically
- ★ Standard candles calibrate progressively farther rungs
- ★ Redshift maps expansion beyond individual distance limits
- ★ The cosmic distance ladder links these overlapping methods
- ★ Cross-checks among Cepheids, TRGB, and SNe Ia reveal systematics

The Hubble Tension: Precision Meets Uncertainty



- Local distance ladder:
 $H_0 \approx 73.3 \pm 0.9 \text{ km/s/Mpc}$



- Early-Universe (Planck):
 $H_0 \approx 67.4 \text{ km/s/Mpc}$ in Λ CDM




- Tension persists at more than 5σ



- Cepheid, TRGB, and supernova systematics under intense review



- JWST cross-checks HST photometry; no crowding bias found



Grounding Scale: Activities and Tools for Learners



- Use NASA data for accurate planet size comparisons.



- Scale models must separate size from distance.




- Light-travel analogies bridge distance and time.



- Avoid linear number lines for cosmic ranges.



- Check for center-of-Universe misconceptions.



Misconceptions and Cognitive Traps



- Light travel time is a look-back distance, not current distance



- The Universe's 93-billion-light-year diameter exceeds its 13.8-billion-year age



- Proportional diagrams distort true scale and spacing




- Expansion means distant objects are now farther than they appear




- The observable Universe has no physical center or edge

DISTORTED
CLASSROOM DIAGRAM



TRUE SCALE



Connecting the Scales: A Unified View

- Ladder spans atoms to 8.8×10^{26} m observable Universe
- 13.8 Gyr age and 93 Gly diameter are linked
- Parallax, standard candles, and redshift cross-check each step
- Cosmic scale requires both distance and time context
- Teach with models, analogies, and critical perspective on scale



PersonWise.

PersonWise • AI digital-human course platform



Scan the code or click anywhere to watch this course live, with voice Q&A

personwise.ai/t/bb395f31/public