

Working Securely from Anywhere: Introduction and Core Principles



Modern workplace is perimeter-less: remote and hybrid work are permanent



Office-bound security models fail against 'work from anywhere' reality



Zero Trust core mindset: 'never trust, always verify' every access



Identity, device, and context validated for every single request



Shared responsibility: security is everyone's role, not just IT's



The Current Threat Landscape for Remote Work



- 52% of security incidents involve a remote worker device or connection



- Breaches with a remote factor cost \$1.07M more on average



- Remote access services are the entry point for 87% of ransomware claims



- Cyberattack volume targeting remote infrastructure surged 238%



- Remote workers are prime targets for phishing, credential theft, and social engineering



Securing Your Physical Environment



- Use privacy screens and position monitors away from walkways and windows



- Never leave laptops, phones, or tablets unattended in public spaces



- Lock devices when stepping away; enable auto-lock within 2–5 minutes



- Shred sensitive documents and maintain a clean desk policy for digital and physical files



HOME/REMOTE HUB SILHOUETTE



PHYSICAL SECURITY



DEVICE PROTECTION



INFORMATION SAFEGUARDS

Fortifying Your Home Network

- - Change default router admin credentials, disable WPS
- - Enable WPA3 encryption (or WPA2-AES) and update firmware
- - Create a dedicated Wi-Fi network for work devices
- - Segment IoT and personal devices using VLANs or guest SSIDs
- - Beware: QR-code Wi-Fi sharing and client isolation bypasses persist



Secure Network Connections: VPNs and Beyond



UNSAFE PUBLIC WI-FI Untrusted Network



SECURE VPN TUNNEL Encrypted • Authenticated • Protected



Public Wi-Fi risks: man-in-the-middle, evil twins, session hijacking



Always use corporate VPN to encrypt all traffic in transit



Split-tunneling: choose split-include (default-permissive) or split-exclude (default-secure)



Non-tunneled traffic bypasses security inspection, DLP, and threat detection



Use mobile hotspots or 5G as safer alternatives to untrusted networks

Device Management and Hygiene



AUTO-
UPDATE



EDR
SHIELD



BIOMETRIC
LOCK



LAYERED LOCK ARCHITECTURE



- Enable automatic OS and application updates to patch vulnerabilities



- Verify endpoint protection (AV/EDR) is active and monitoring continuously



- Distinguish corporate-managed devices from personal devices (BYOD risks)




- Enforce screen lock with strong PIN, biometrics, and auto-timeout



- Start EDR in detect-only mode, tune baselines, then enable prevention

BYOD and Mobile Security

- Top BYOD risks: data leakage, credential theft, and unmanaged device exposure
- MDM manages the entire device; MAM containerizes only corporate apps and data
- MAM enables selective wipe of work data without touching personal content
- Enforce Conditional Access: require device compliance before granting access



Authentication and Password Strength



- MFA blocks 99.9% of automated attacks; always enable it



- Favor passphrases with 15+ characters over complex composition rules



- Use a corporate-approved password manager to generate unique credentials



- Eliminate forced periodic resets; only reset on confirmed compromise



- Screen passwords against breach corpuses to reject compromised values



Defeating MFA Fatigue and Modern Authentication Attacks



Recognize MFA fatigue:
never approve an
unexpected push notification



Enable number matching
to stop blind push bombing
attacks



Beware adversary-in-the-
middle proxies that bypass
standard MFA




Adopt phishing-resistant
FIDO2/passkeys for
privileged accounts



Treat repeated MFA prompts
as an attack signal, not
user noise



Phishing, Smishing, and Vishing Threats



- Smishing click rates of 19-36% far exceed email's 2-4%



- AI erases poor grammar, enabling personalized mass attacks



- Toll, delivery, and refund lures are the most common themes



- Vishing surged 28%+; voice and SMS should be treated as one threat



- Always verify suspicious requests through an out-of-band channel

Deepfake and AI-Driven Social Engineering



- AI clones voices from 3 sec of audio; video deepfakes stage synthetic Zoom calls



- Arup lost \$25.6M after a finance employee was deceived by a fully synthetic video conference



- 53% of organizations had an executive impersonated; 62% faced deepfake social engineering



- Mandatory out-of-band callback verification for all financial and sensitive requests





- Integrate deepfake simulations into training—standard phishing modules miss this threat

REAL EXECUTIVE (LIVE VIDEO CALL)



Consistent lighting, natural movements, and synchronized audio-visual behavior.

DEEPAKE VIDEO CALL (SYNTHETIC)



Multiple synthetic artifacts: lighting mismatches, unnatural facial movements, poor edge definition, and audio desync.



Deepfakes are advancing rapidly. Verify before you trust.
Use out-of-band verification for all financial and sensitive requests.

Data Protection and Secure Handling



- Classify data: public, internal, confidential, restricted



- Use only approved platforms; never personal cloud storage



- Encrypt at rest (full-disk) and in transit (TLS 1.3)



- Comply with GDPR, CCPA, and remote data regulations



Safe Use of Generative AI and Collaboration Tools



“- Never paste PII, source code, or trade secrets into public AI assistants”



“- Use only enterprise AI tools with data processing agreements that prevent model training”



“- Secure video conferences with waiting rooms, passcodes, and screen share controls”



“- Audit third-party integrations and AI meeting assistants for data privacy risks”



“- Treat AI prompt boxes as public megaphones, not private assistants”



Incident Response for Remote Workers



Ransomware-Specific Response Procedures

- “Confirm the incident, then isolate backup infrastructure first to prevent encryption.”
- “Isolate affected endpoints at the EDR layer before network-level disconnection.”
- “Reset all privileged credentials and disable compromised accounts in Active Directory.”
- “Preserve forensic evidence (memory captures, ransom notes) before powering down.”
- “Verify backup integrity in an isolated environment before any restoration attempt.”



Building a Personal Security Routine and Assessment

- Run daily checklist: updates, VPN status, MFA, and app hygiene
- Complete home-office self-assessment using the security rubric
- Follow security newsletters, internal KBs, and phishing alerts
- Pass the final knowledge check to reinforce the anywhere-work mindset



PersonWise.

PersonWise • AI digital-human course platform



Scan the code or click anywhere to watch this course live, with voice Q&A

personwise.ai/t/f2a4037f/public